



GENERAL SPECIFICATIONS

• L.O.A*:	13.60 m
• Hull length:	12.17 m
• Beam:	4.17 m
• Light displacement:	10 895 kg
• Air draught**:	3.35 m
• Air draught***:	7.94 m
• Draught:	1.15 m
• Fuel tank:	1 500 l
• Water tank:	640 l
• Maximum engine power:	2 x 300 HP
• Max engine certification:	914 HP

* (with aft swimming platform)

** (with mast folded)

*** (with mast in position)

ARCHITECT / DESIGNERS

- Naval Architect: BENETEAU POWER
- Interior design: M. JOUBERT & B. NIVELT

EC CERTIFICATE

- Category B - 12 persons
- Category C - 14 persons

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin - Glass fiber / Balsa core)
- White gel coat
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)

Profile:

- Semi-floating hull

DECK

Composition:

- Sandwich (Polyester resin - Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- White gel coat
- Diamond tip type non-slip covering
- Stainless steel guard sheer rail on hull

DECK EQUIPMENT

- Plain solid wood bulwark
- Gangway door to starboard

MOORING - ANCHORING

- Stainless steel bow fitting
- Stainless steel anchor platform
- Stainless steel bow guard
- 1000 W Vertical electrical windlass, upwards/downwards movement and remote control from windlass, wheelhouse and flybridge
- 6 Aluminium mooring cleats (L 400mm)
- Stainless steel gunwale guards
- 2 Stainless steel fairleads to aft of cockpit
- 2 Compartments fitted with self-bailers and hatch covers decked with plain solid wood

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- 2 stainless steel handrails on deck house

COCKPIT

- Self-bailing cockpit
- Gunwales in plain solid wood
- 3 Lockers in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker
- Hot/cold water cockpit shower hose
- Cockpit gate in transom
- Plain solid wood swim platform with stainless steel sheer rail
- Stainless steel swimming ladder in platform
- 2 Access doors to catwalks from cockpit with grey-tinted portholes

FLY BRIDGE

- Flybridge self-bailing
- Stainless steel access ladder to flybridge with plain solid wood steps and handrails stainless steel
- Grey tinted windscreen in PMMA
- Stainless steel pulpit surrounding aft of flybridge
- White lacquered swing mast, Navigation light mounting, Radar, Aerials and deck spotlight
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster* and Flaps
- Fuel gauge indicator
- Tiller angle indicator
- Space for navigation electronics
- Steering wheel Stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- 12 V socket
- 1 Adjustable pilot seat
- 1 Copilot seat to starboard
- flybridge saloon to port consisting of L-shaped bench seat with fitted storage space and removable plain solid wood table ("Columbia" Cushions)
- Polyester unit with sink and handrail
- Cool box
- Space for life raft with stainless steel fixing bolt plates

* according to options

INTERIOR

- Woodwork Alpi Mahogany
- Laminated floorboards with black wood streaking
- "Paradise sand" Cushions

SALOON

Headroom: 1.96 m

- Starboard U-shaped bench seat convertible to double berth
- Removable seating fitted under bench seat
- height adjustable varnished wood saloon table
- Storage cupboard
- Cubby hole lockers
- 2-leaved aft window door with black lacquered aluminium frame
- Ceiling handrail

GALLEY

Headroom: 1.96 m

- Lengthways kitchen - Includes:
 - * Work top
 - * 2 Stainless steel sinks with cold/hot water mixer taps under pressure
 - * 3 hob oven cooker
 - * 80 L front opening fridge (Supply 220 V / 12 V)
 - * Cutlery drawer
 - * Storage
 - * Bin
 - * Sliding side door with direct access to catwalk

STEERING STATION

- Clear glass windscreen with aluminium frames lacquered white
- 3 Electric windscreen wipers
- Windscreen washer
- Demister
- Grey-tinted side windows with white lacquered aluminium frames and fitted with wood slat shutters
- Instrument panel with wide space for fitting navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators
- Electric windlass control, Bow thruster*, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- 12 V socket
- CD / MP3 player with 2 speakers in wheelhouse and 2 speakers in cockpit
- Two-seater pilot and copilot bench
- Removable floor step
- Storage under pilot bench
- Sliding side door with direct access to catwalk

* according to options

WASHROOM (TO PORT)

Headroom: 1.85 m

- Washroom completely counter moulded
- Mirror
- Cupboard
- Storage
- Electric pump for shower draining
- 1 Opening deck hatch with fitted mosquito net in forward compartment
- Skydome in aft compartment
- 1 Opening porthole with blackout curtain in each compartment

OWNER'S VERSION

Forward compartment:

- Quiet flush electric toilet
- Basin
- Mixer tap
- Rigid holding tank 83 L

Aft compartment:

- Shower
- Marine toilet
- Basin
- Mixer tap
- Connecting door between the two compartments

OTHER VERSIONS

2 Separate bathrooms

Forward compartment:

- Quiet flush electric toilet
- Basin
- Mixer tap
- Shower hose
- Rigid holding tank 83 L

Aft compartment:

- Shower
- Marine toilet
- Basin
- Mixer tap
- Connecting door between the two compartments

OWNER CABIN (FORWARD)

Headroom: 1.95 m

- Double berth (2.00 m x 1.60 m)
- Marine mattress
- Lathed bed base
- Mirror
- Hanging locker
- 2 Storage drawers under berth
- 1 Opening deck hatch with fitted mosquito net
- 2 Opening hull portholes with blackout curtains

GUEST CABINS (STARBOARD AFT)

Headroom: 1.85 m

- Double berth (2.00 m x 1.30 m)
- Marine mattress
- Hanging locker
- Drawers
- Cupboards
- Storage under berth
- 1 Deck house sunroof with fitted mosquito net
- 2 Opening hull portholes with blackout curtains

ENGINE

- Shaft line propulsion
- Four blade propeller
- Dual engine **Volvo D4 300 HP (2 x 221 Kw)**
- Fuel filter with decanter
- Sea water filter
- Engine room soundproofed with high density foam (40mm thick)
- Air intakes for engine hold cooling on hull planking
- 2 Extinguishers
- Stainless steel fuel tank deck filler
- 2 Aluminium fuel tanks (Capacity = 2 x 750 l)

Steering system:

- 2 Bronze underhung rudders
- Hydraulic steering
- Electric trim tabs

ELECTRICITY

- 12 V / 220 V Electrical panel
- 220 V shore power
- 2 Batteries 12 V 140 Ah for engine starting
- 4 Service 12 V 50 Ah batteries
- Battery charger 40 Ah/h
- 2 Standard equipment: Sockets 12 V
- Interior lighting (Overhead lights, reading lights, fluorescent tubes)
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 2 Electric bilge pumps 1 of which automatic
- Water pump for pressurising hot/cold water system
- 42 L Water heater with 220 V exchanger
- Stainless steel water tank filler
- 2 Roto moulded water tanks (2 x 320 l)

TRIM LEVEL

	AVANTAGE	ELEGANCE
Refrigerated icebox on Flying Bridge (42 l)	■	■
Natural solid wood cockpit	■	■
Deck searchlight	■	■
3 function electrical panel Domestic appliance 220 V	■	■
White lacquered aluminium loading boom	■	■
Waterproof loudspeakers on flying bridge	■	■
1x Multifunction screen GPS, Graphic sounder tracker RAYMARINE C90W on flying bridge	■	■
1x Multifunction screen GPS, Graphic sounder tracker RAYMARINE C120W in wheelhouse	■	■
Auto pilot RAYMARINE ST 70 with gyrocompass	■	■
Thru-hull transducer	■	■
Loch, speedo and water temperature	■	■
Catwalks decked in natural solid wood		■
Pump for deck washing		■
Shore freshwater supply		■
"Columbia" forward sun mattress		■
220 V Microwave oven		■
Flat screen TV LCD + DVD/MP3 player in the saloon		■

OPTIONS

PACKS

PACK ELECTRONIC

- Radar 4 Kw
- Receiver AIS RAYMARINE + VHF 240E

OTHER OPTIONS

- Complete mooring kit (Anchor Delta 20 kg - 4 Mooring ropes - 6 Fenders)
- Steering station on flying bridge decked in plain solid wood
- Aft part of flybridge decked in plain solid wood
- Hydraulic gangway
- Rear closure "Dune" Cushions
- flybridge Bimini top upholstery "Dune"
- White outside wheelhouse curtains
- 9,5KVA Electric generator
- Water maker
- Glass ceramic cooker hobs
- 28 000 BTU Air conditioning
- Heating
- Oven Grill / Micro-wave oven
- 220 V Dishwasher

- Bunk berths in starboard cabin
- Rigid holding tank 50 L
- Two colour hull white / Steel blue
- "Tweed" pattern carpet in wheelhouse
- Black wood streak varnish floors
- Flat screen TV + DVD player in master cabin
- Nets on deck panels and doors
- Sea water foot pump

